

PROTON TRANSPORT MEMBRANES

Sieving Hydrogen Isotopes Through 2D Crystals

BACKGROUND

Hydrogen, the most abundant element in the universe, has a variety of potential applications including its use in fuel cells, rocket fuel and numerous chemical reactions. The heavier isotopes of hydrogen, deuterium and tritium, have other applications which include nuclear fusion and fission reactions. However, the methods that are currently used to selectively isolate the isotopes of hydrogen are extremely energy intensive. As a result, novel approaches of isolating hydrogen and its isotopes could be of significant interest to a number of industries.

Typically, defect free single layer graphene is impermeable to all gases and liquids. However, it was recently discovered that 2D monolayers made from materials such as graphene are capable of allowing thermal protons, i.e hydrogen ions, to permeate their crystalline surface. The ability to exploit this characteristic of 2D materials could therefore represent a novel approach in which hydrogen isotopes may be selectively isolated by filtration.

THE TECHNOLOGY

This technology builds upon the discovery that 2D materials are capable of filtering hydrogen ions. The technology utilises graphene and other 2D materials such as hexagonal boron nitride (hBN), molybdenum disulfide (MoS_2) and tungsten disulfide (WS_2) that are coated as monolayers onto a proton conducting polymer such as Nafion. At room temperature, the technology facilitates a separation factor of ~10 for deuterium and ~30 for tritium, which represents an effective sieving capacity. It has also been demonstrated that this technology is compatible with CVD grown graphene, which is a reasonably cheap and scalable graphene production method. Therefore, this technology represents an effective, scalable and commercially viable alternative to traditional hydrogen isotope separation processes.

KEY BENEFITS

- The membranes described in this technology can be made significantly thinner than traditional membranes, reducing electrical resistance and improving efficiency.
- These membranes retain the exceptional mechanical qualities of graphene, making it suitable for use in applications in which mechanical strength is important.
- Protons and deuterons can permeate the membrane under ambient conditions, eliminating the need to add additional thermal energy.
- Protons and deuterons are able to permeate the membrane whilst water (or any other species) is unable to do so, unlike in existing membrane technology.
- The compatibility of this technology with reasonably cheap CVD-grown graphene reduces manufacturing costs and facilitates improved scalability.

UMIP - REPUTATION AND VALUE THROUGH INTELLECTUAL PROPERTY®

THE UNIVERSITY OF MANCHESTER INTELLECTUAL PROPERTY UMIP®

APPLICATIONS

Potential applications of this technology include:

- Its incorporation into hydrogen fuel cell technologies as a thermally stable proton membrane that prevents fuel crossover and fuel poisoning.
- The development of devices that harvest or separate hydrogen from shale gas, natural gas, waste gas mixtures or the atmosphere.
- Its incorporation into other technologies requiring atomically thin proton conductors.
- Drinking water filtration devices that facilitate the removal of the heavier isotopes of hydrogen from water, which has been linked to healing benefits in cancer patients.
- Its inclusion in novel sensing, detection or measurement applications.

INTELLECTUAL PROPERTY

Two patent applications have been filed to protect this technology and worldwide protection is being pursued.

RELEVANT PUBLICATIONS

Proton transport through one-atom-thick crystals

S. Hu, M. Lozada-Hidalgo, F. C. Wang, A. Mishchenko, F. Schedin, R. R. Nair, E. W. Hill, D. W. Boukhvalov, M. I. Katsnelson, R. A. W. Dryfe, I. V. Grigorieva, H. A. Wu & A. K. Geim
[doi:10.1038/nature14015](https://doi.org/10.1038/nature14015)

Sieving hydrogen isotopes through two-dimensional crystals

M. Lozada-Hidalgo, S. Hu, O. Marshall, A. Mishchenko, A. N. Grigorenko, R. A. W. Dryfe, B. Radha, I. V. Grigorieva, A. K. Geim. [doi:10.1126/science.aac9726](https://doi.org/10.1126/science.aac9726)

Scalable and efficient separation of hydrogen isotopes using graphene-based electrochemical pumping

M. Lozada-Hidalgo, S. Zhang, S. Hu, A. Esfandiar, I. V. Grigorieva, A. K. Geim.
[doi:10.1038/ncomms15215](https://doi.org/10.1038/ncomms15215)

OPPORTUNITY

There are opportunities for partnership and collaboration to further develop and commercialise this technology.

CONTACT

Dr Siobhan Daniels, IP Development and Partnering Manager - Graphene, UMIP, Core Technology Facility, 46 Grafton Street, Manchester M13 9NT ✉ siobhan.daniels@umip.com
☎: + 44 (0) 161 306 8813

UMIP - REPUTATION AND VALUE THROUGH INTELLECTUAL PROPERTY®